(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 7 March 2002 (07.03.2002)

PCT

(10) International Publication Number WO 02/17876 A2

(51) International Patent Classification7:

A61K 7/50

(21) International Application Number:

PCT/EP01/08576

(22) International Filing Date:

24 July 2001 (24.07.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/229,202

31 August 2000 (31.08.2000) US

- (71) Applicant (for AE, AG, AU, BB, BZ, CA, CY, GB, GD, GH, GM, IE, IL, KE, LC, LK, LS, MN, MW, NZ, SD, SG, SL, SZ, TT, TZ, UG, ZA, ZW only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4P 4BQ (GB).
- (71) Applicant (for all designated States except AE, AG, AU, BB, BZ, CA, CY, GB, GD, GH, GM, IE, IL, KE, LC, LK, LS, MN, MW, NZ, SD, SG, SL, SZ, TT, TZ, UG, ZA, ZW): UNILEVER NV [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL).
- (71) Applicant (for IN only): HINDUSTAN LEVER LIM-ITED [IN/IN]; Hindustan Lever House, 165/166 Backbay Reclamation, Mumbai 400 020, Maharashtra (IN).
- (72) Inventors: HAYWARD, Christine; Unilever Home & Personal Care USA, 40 Merritt Boulevard, Trumbull, CT

06611 (US). PAREDES, Rosa, Mercedes; Unilever Home & Personal Care USA, 40 Merritt Boulevard, Trumbull, CT 06611 (US).

- (74) Agent: MULDER, Cornells, Willem, Reinler; Unilever PLC, Patent Department, Colworth House, Sharnbrook, Bedford, Bedfordshire MK44 1LQ (GB).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

BEST AVAILABLE COPY

(54) Title: FOAMING ANTI-BACTERIAL CLEANSING SKIN PRODUCT

(57) Abstract: A foaming cleansing product is provided as a cleansing composition packaged in a non-aerosol pump dispenser. The dispenser includes a container for holding a liquid composition, a dispensing head with a housing enclosing a pump mechanism and



/17876 A2

- 1 -

FOAMING ANTI-BACTERIAL CLEANSING SKIN PRODUCT

This application claims the benefit of U.S. provisional application no. 60/229,202, filed August 31, 2000.

5

10

15

20

25

The present invention relates to a foaming cleansing product that provides a more sanitary washing experience, in foam cleansing product together with a particular a countertop dispenser, which provides an instant foam and superior deposition of anti-bacterial agent.

Preferably the inventive product is used with a countertop mechanical pump allowing the foam to be dispensed directly onto the hands without soiled hands touching (and soiling) the pump or the sink tap. Preferably the pump is situated in a stable position so that the forearm can be used to depress the pump and dispense the product. This results in a more hygienic cleansing process. In addition, initial dilution with water is not required since the foam can be distributed prior to rinsing.

An unexpected benefit of the inventive foamed cleansing product is improved delivery of an anti-bacterial agent, when present, from an instant foam delivery. This form of delivery the enhances application unexpectedly antibacterial agent, since the same amount of agent is applied directly to the skin in the form of concentrated foam or lather as compared to dilution required by standard hand cleansing liquids to make lather for even distribution of the product on the skin. 30

WO 02/17876 PCT/EP01/08576

- 2 -

A further unexpected benefit of the inventive cleansing product is the enhanced deposition of the hydrophobic antibacterial agent on the skin, such as triclosan, compared to the deposition of the same agent in a liquid cleansing product without the foam.

Yet another unexpected benefit of the inventive cleansing product is the substantially improved cleansing performance with waxy type makeup, and the like, compared to the use of liquid cleansing products which do not produce instant foam.

Detailed description:

5

10

15

25

30

In one aspect, the inventive composition comprises a surfactant blend including an anionic surfactant, and at least one surfactant selected from a nonionic and an amphoteric surfactant, a cationic polymer, and a hydrophobic antibacterial agent, wherein the composition contains less than 0.05 wt. % of a water insoluble emollient; the 20 composition being dispensed by a mechanical pump to provide a foam, i.e. a mixture of air and liquid. Preferably the foam has a density range of 0.05 to 0.20 g/ml. Preferably the inventive cleansing product has a weight ratio of anionic surfactants to the sum of nonionic and amphoteric surfactants in the range of 0.2 to 1 to 3 to 1; more preferably in the range of 1.5 to 1 to 2.5 to 1.

As used herein, the term "hydrophobic" in relation to antibacterial component means a material which is more lipid soluble, i.e. non-aqueous soluble, than aqueous soluble. The total amount of surfactants in the inventive composition WO 02/17876

5

;

- 3 -

PCT/EP01/08576

does not exceed about 12.0 wt. %, and preferably does not The viscosity of the inventive exceed 10.5 wt. %. composition is in the range of 1 to 500 cps, preferably 1 to 200 cps at 25 °C as measured by a Brookfield HBDVII+ viscometer using 0.5 rpm and spindle #41. Preferably the composition contains a water-soluble emollient, including one or more polyhydric alcohols, more preferably glycerin and polyethylene glycol. Preferably the water-soluble emollient is in the concentration range of about 0.5 to 10 wt. % of the composition. 10

Water insoluble emollients require sufficient solubilizers such as surfactants when formulated into aqueous systems. With regard to the inventive composition, the pump requires a low surfactant concentration for optimum viscosity and foam production which limits the total amount of water 15 insoluble material (including fragrance and the hydrophobic anti-bacterial agent) to a level capable of being dispersed Furthermore, suspended therein. composition provides for excellent skin feel as determined by techniques which would be well known to the skilled 20 person, notwithstanding the lack of water insoluble emollients.

Compositions of the present invention are preferably free of any oil phase, especially free of water insoluble 25 The term "free" means less than 0.05%, preferably less than 0.01% emollient, and water insoluble emollients. means any emollient having a solubility in distilled water at 25 °C of less than about 1 gm per 100 mL, more preferably less than about 0.1 gm per 100 mL. Absent water insoluble 30

- 4 -

emollients, the compositions can be transparent and have improved foamability.

In another aspect of the invention, enhanced deposition of hydrophobic anti-bacterial agents to the skin is provided the application of accompanies composition. This effect is illustrated in Example 2 below.

In a further aspect of the invention, surprisingly efficient waxy cosmetics removal is provided following the application Waxy cosmetics and rinsing of the inventive composition. 10 are here defined as cosmetics containing wax such as paraffin wax, and the wax, carnauba preferably at a level in excess of about 10 wt.% by weight Representative examples the composition. Such lipstick, cream blush, and the like. 15 cosmetics may also optionally contain film forming polymers mascara, copolymers polyvinylpyrrolidone and vinylpyrrolidone with e.g. polyurethane; and the like. as This effect is illustrated in Example 3 below. 20

Anionic surfactants

25

30

A further component of cleansing compositions according to the present invention is an anionic surfactant. Illustrative but the following classes: limiting examples include not

(1) Alkyl benzene sulfonates in which the alkyl group contains from 9 to 15 carbon atoms, preferably 11 to 14 carbon atoms in straight chain or branched chain configuration. Especially preferred is a linear alkyl benzene sulfonate containing about 12 carbon atoms in the alkyl chain.

10

20

- (2) Alkyl sulfates obtained by sulfating an alcohol having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms. The alkyl sulfates have the formula ROSO₃ --M⁺ where R is the C8-22 alkyl group and M is a mono- and/or divalent cation.
- (3) Paraffin sulfonates having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms, in the alkyl moiety. These surfactants are commercially available as Hostapur SAS from Hoechst Celanese.
- (4) Olefin sulfonates having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms. Most preferred is sodium C14-C16 15 olefin sulfonate, available as Bioterge AS 40.®.
 - (5) Alkyl ether sulfates derived from an alcohol having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms, ethoxylated with less than 30, preferably less than 12, moles of ethylene oxide. Most preferred is sodium lauryl ether sulfate formed from 2 moles average ethoxylation, commercially available as STEOL CS230 or Standopol ES-2.(R).
- (6) Alkyl glyceryl ether sulfonates having 8 to 22 carbon 25 atoms, preferably 12 to 16 carbon atoms, in the alkyl moiety.
 - (7) Fatty acid ester sulfonates of the formula: R^1 CH(SO₃ -- M+)CO₂ R^2 where R^1 is straight or branched alkyl from about C8 to C18, preferably C12 to C16, and R^2 is a straight or

branched C1 to C6 alkyl group, preferably primarily C1, and M+ represents a mono- or divalent cation.

- (8) Secondary alcohol sulfates having 6 to 18, preferably 8 to 16 carbon atoms. 5
 - (9) Fatty acyl isethionates having from 10 to 22 carbon atoms, with sodium cocoyl isethionate being preferred.
- (10) Dialkyl sulfosuccinates wherein the alkyl groups range 10 from 3 to 20 carbon atoms each.
- Alkanoyl sarcosinates corresponding to the formula (11)RCON(CH3)CH2 CH2 CO2 M wherein R is an alkyl or alkenyl group having about 10 to about 20 carbon atoms and M is a watersoluble cation such as ammonium, sodium, potassium and 15 lauroyl is sodium trialkanolammonium. Most preferred sarcosinate.

Nonionic surfactants: 20

Co-surfactants are present in the inventive composition to aid in the foaming, detergency and mildness properties. least one surfactant selected from a nonionic and amphoteric Suitable surfactants are the preferred co-surfactants. nonionic surfactants include C10 -C20 fatty alcohol or acid hydrophobes condensed with from 2 to 100 moles of ethylene 25 oxide or propylene oxide per mole of hydrophobe; C2 -C10 alkyl phenols condensed with from 2 to 20 moles of alkylene oxides; mono- and di-fatty acid esters of ethylene glycol distearate; fatty glycol ethylene monoglycerides; sorbitan mono- and di-C8-C20 fatty acids; 30

and polyoxyethylene sorbitan available as Polysorbate 80 and Tween 80.(R). as well as combinations of any of the above surfactants.

Exemplary non-ionic surfactants suitable for use in the compositions according to the present invention include 5 primary amines such as cocamine (available as Adagen 160D ® from Witco) and, in a preferred embodiment, alkanolamides such as cocamide MEA (available as Empilian CME ® from Albright and Wilson), lauramide MEA (available as Empilan LME ® from Albright and Wilson), lauramide MIPA, lauramide 10 DEA, and mixtures thereof, and the like.

alkyl include surfactants nonionic useful Other methy1 (e.g. amides fatty saccharide polyglycosides, gluconamides) as well as long chain tertiary amine oxides. 15 Examples of the latter category are: dimethyldodecylamine oxide, oleyldi(2-hydroxyethyl)amine oxide, dimethyloctylamine dimethyltetradecylamine oxide, dimethyldecylamine oxide, di(2-hydroxyethyl)tetradecylamine oxide, 3-didodecoxy-2-hydroxypropyldi(3-hydroxypropyl)amine oxide, and 20 dimethylhexadecylamine oxide.

Amounts of the nonionic surfactant may range from 0.5 to 5 Wt. %, preferably from 1 to 4 wt. %, and most preferably from 2 to 25 3 wt. % of the composition.

Amphoteric Surfactants

Amphoteric surfactants such as betaines may be used in the inventive formula. Suitable betaines may have the general 30

formula RN^+ $(R^1)_2$ R^2 COO-- wherein R is a hydrophobic moiety selected from alkyl groups containing from 10 to 22 carbon atoms, preferably from 12 to 18 carbon atoms; alkyl aryl and aryl alkyl groups containing 10 to 22 carbon atoms with a benzene ring being treated as equivalent to about 2 carbon atoms, and similar structures interrupted by amido or ether linkages; each R is an alkyl group containing from 1 to 3 carbon atoms; and R^2 is an alkylene group containing from 1 Sulfobetaines such atoms. carbon 6 cocoamidopropyl sultaine are also suitable.

10

15

Examples of preferred betaines are dodecyl dimethyl betaine, cetyl dimethyl betaine, dodecyl amidopropyldimethyl betaine, tetradecyldimethyl betaine, tetradecylamidopropyldimethyl and dodecyldimethylammonium hexanoate. Most betaine, available as betaine cocoamidopropyl preferred is Tegobetaine F.(R). sold by Th. Goldschmidt AG of Germany. Amounts of the betaine may range from about 0.5 to 5%, preferably from about 1 to 4%, more preferably from 2 to 3% by weight of the total composition. 20

Specific examples of these amphoteric surfactants include the alkali, alkaline earth, ammonium and trialkanolammonium cocoamphodiacetate, cocoamphoacetate, of salts cocoamphopropionate, cocoamphodipropionate and 25 sodium cocoamphoacetate Most preferred is thereof. available as Miranol HMA from the Rhone Poulenc Corporation. Similar surfactants are also available as Amphoterge.(R). from Lonza Inc., Fair Lawn, N.J. While the sodium salt is preferred, other cations can also be employed including 30

WO 02/17876 PCT/EP01/08576

.

- 9 -

lithium, potassium, magnesium and calcium. Amounts of the amphoteric surfactant may range from about 0 to 12%, preferably from about 1 to 10.5%, more preferably from about 2 to 6% by weight of the composition.

5

10

15

20

25

30

Moisturizing ingredients

Moisturizing ingredients may also be included in the Water-soluble compositions of the present invention. moisturizers or emollients such as polyhydric alcohol-type humectants are particularly preferred. Typical polyhydric as glycerin), alcohols include glycerol (also known polyalkylene glycols and more preferably alkylene polyols including propylene their derivatives, and dipropylene glycol, polypropylene glycol, polyethylene glycol and derivatives thereof, sorbitol, hydroxypropyl sorbitol, hexylene glycol, 1,3-butylene glycol, 1,2,6hexanetriol, ethoxylated glycerol, propoxylated glycerol and mixtures thereof, and the like. For best results at least one humectant is preferably glycerin. The amount of humectant may range anywhere from about 0.5 to 10.0%, preferably between 1 and 2% by weight of the composition.

Preservatives

can desirably be incorporated into Preservatives cosmetic compositions of this invention to protect against the growth of potentially harmful microorganisms. Suitable preservatives are DMDM Hydantoin, and EDTA salts. Other parapreservatives include alkyl esters useful quaternary hydroxybenzoic acid, propionate salts, and carbamate, butyl iodopropynyl ammonium compounds, phenoxyethanol, methyl paraben, propyl paraben,

- 10 -

imidazolidinyl urea, sodium dehydroacetate and benzyl alcohol, and the like. The preservatives should be selected having regard for the use of the composition and possible incompatibilities between the preservatives and other ingredients in the composition. Preservatives are preferably employed in amounts ranging from 0.01% to 2% by weight of the composition.

Minor adjunct ingredients may be present in the cosmetic compositions. Among them may be the water-soluble vitamins, colorants, fragrances and opacifiers, and the like. Each of these substances may range from 0.05 to 5%, preferably between 0.1 and 3% by weight of the composition.

the compositions of the invention Advantageously, 15 contain a foam densifying agent. Examples of this substance are waxy materials with a melting point greater than 20°C, preferably greater than 40°C. Illustrative are ethoxylated glyceride esters such as PEG 6 caprylic/capric glycerides and PEG 75 soy glycerides. Also useful are C8-C12 acyl 20 lactylates such as sodium lauroyl lactylate sold as Pationic 138 C.(R). available from the Patterson Chemical Company. Amounts of these agents may range from about 0.1 to 2%, 0.5 to 1% by weight of the preferably from about composition. 25

Cationic polymers

30

5

Cationic polymers are also used in the inventive composition. Examples of the polymeric type include cationic cellulose derivatives, cationic starches, copolymers of a diallyl quaternary ammonium salt and an

. - 11 -

acryl amide, quaternized vinylpyrrolidone vinylimidazole polymers polyglycol amine condensates, quaternized collagen polypeptide, polyethylene imine, cationized silicon polymer (e.g. Amodimethicone), cationic silicon polymers provided in a mixture with other components under the trademark Dow Corning 929 (cationized emulsion), copolymers of adipic acid and dimethylaminohydroxypropyl diethylenetriamine, cationic chitin derivatives, cationized guar gum (e.g. Jaguar C-B-S, Jaguar C-17, Jaguar C-16, etc. manufactured by the Celanese Company), quaternary ammonium salt polymers (e.g. Mirapol A-15, Mirapol AD-1, Mirapol AZ-1, etc., manufactured by the Miranol Divison of the Rhone Poulenc Company). preferred is polyquaternium-10 available as Polymer JR400 sold by the Amerchol Corporation.

15

5

10

Amounts of the cationic polymer may range from about 0.01 to 3.0 %, preferably from about 0.01 to 1.0 %, and most preferably from about 0.01 to 0.5 % by weight of the composition.

20

In a preferred embodiment, the compositions of the present invention are transparent. By the term "transparent" is meant having a maximum transmittance of light of at least 4% of any wavelength in the range of 400 to 700 nm through a sample 1 cm thick. A transparent composition is one which also permits sufficient light transmittance to enable 25 reading of newspaper print through a thickness commensurate with a diameter of the container employed with the herein described dispenser.

- 12 -

Antimicrobial actives

Examples of suitable antibacterial agents which can be used herein include, but are not limited to, the dicarbanilides, for example, triclocarban also known as trchlorocarbanilide, triclosan, hexachlorophene and 3,4,5-tribromosalicylanilide, A preferred antibacterial agent herein is and the like. Other suitable antibacterial actives include triclosan. β-lactam pharmaceutically-acceptable salts of quinolone drugs, ciprofloxacin, norfloxacin, tetracycline, doxycycline, capreomycin, chlorhexidine, chlortetracycline, hexamidine clindamycin, ethambutol, 10 oxytetracycline, gentamicin, metronidazole, pentamidine, isethionate, methenamine, kanamycin, lineomycin, methacycline, paromomycin, neomycin, netilmicin, minocycline, streptomycin, tobramycin, miconazole and amanfadine and 15 mixtures thereof, and the like.

Non-aerosol foaming dispenser

An element of the cleansing product according to this invention is a non-aerosol foaming dispenser. A suitable dispenser may be mechanical and is generally characterized 20 by a container for storing the composition (preferably a transparent container), a dispensing head defined by a housing containing a pump, and a dip tube for transferring the composition from the container into the dispensing head. Foam is created by requiring the composition to pass through 25 a screen material which may be a porous substance such as a sintered material, a wire (plastic or metal) gauze screen or similar structures.

30

Suitable mechanical dispensers are described in U.S. Pat.

- 13 -

No. 3,709,437 (Wright), U.S. Pat. No. 3,937,364 (Wright), U.S. Pat. No. 4,022,351 (Wright), U.S. Pat. No. 4,147,306 (Bennett), U.S. Pat. No. 4,184,615 (Wright), U.S. Pat. No. 4,598,862 (Rice), U.S. Pat. No. 4,615,467 (Grogan et al.) and U.S Pat. No. 5,364,031 (Tamiguchi et al.). the Airspray preferred however is a device owned by International Corporation described in WO 97/13585 (Van der All these patents are incorporated herein by Heijden). reference.

10

5

The Airspray device comprises a container for storing a cleansing composition and a dispensing head, the latter including at least a concentric air pump and liquid pump. Each of the pumps has a piston chamber with a piston displaceable therein and an inlet and discharge, and an operating component for operating the two pumps. 15 operating component is integral with one of the pistons and comprises an outflow channel with a dispensing opening. Shut-off mechanisms, rendering it possible to suck up air or liquid, respectively, and dispense them, are present in the The air pump includes a 20 inlet and discharge of the pumps. double-acting shut-off device which can be operated actively by the operating component. The shut-off device prevents both the inlet of air to the air pump and discharge of air The air piston is able to be moved freely at least over a small distance with respect to the operating therefrom. 25 component.

Other suitable foaming dispensers may include squeeze are well known foamer packages Squeeze exemplified by the disclosures in the following patents that 30

- 14 -

are incorporated herein by reference. U.S. Pat. Nos.: 3,709,437, Wright; 3,937,364, Wright; 4,022,351, Wright; 4,147,306, Bennett; 4,184,615, Wright; 4,598,862, Rice; and 4,615,467, Grogan et al.; and French Pat. 2,604,622, Verhulst.

When squeeze foamers are used, the composition is placed in the container reservoir (plastic squeeze bottle). Squeezing the container with the hand forces the composition through a foamer head, or other foam producing means, where the composition is mixed with air and then through a homogenizing means which makes the foam more homogeneous and controls the consistency of the foam. The foam is then discharged as a uniform, non-pressurized aerated foam.

15

20

25

Except in the operating and comparative examples, or where otherwise explicitly indicated, all numbers in this description indicating amounts of material ought to be understood as modified by the word "about".

The following examples will more fully illustrate the embodiments of this invention. All parts, percentages and proportions referred to herein and in the appended claims are by weight unless otherwise illustrated.

- 15 -

Example 1

Solutions 1 to 5 represent embodiments of the inventive composition

5

	active in	formula	7 1 2 2 2 3	Solution 4	Solution 5
NCI Ingredient	active in Solution 1	Solution 2	Solution 3	q.s. 100	q.s. 101
NCI IIIgi Call	q.s.100	q.s.100	d.8.100	0.078%	0.078%
acer	0.078%	0.078%	0.078%	0.0788	-
etrasodium EDTA	4.600%				5.00%
LS	3.80%	5.00%	4.00%	5.60%	1.00%
LES, 2 EO	3.80%	2.50%	2.52%	1.00%	11.000
ocoamidopropyl		2.300	l		
etaine			2.43%		•
lpha olefin	4				1.00%
ulfonate					
Decyl Glucoside	1.20%	0.40%	T		
Cocamide MEA	1.200			0.50%	1
Sodium	i	ì	<u> </u>		_
Lauroamphoacetate				0.20%	1
Sodium Lauroy	4			0.05%	0.07%
lactylate	0.13%	0.07%	0.05%	0.056	0.05%
Polyquaternium-10	10.130	0.05%			0.000
Wheatgermamidoprop	pyr Dimoniv				
Hydroxypropyl					
Hydroxypropyr Hydrolyzed Wheat	1	0.50%			
PEG-400		-		0.20%	
PEG 75 Sc	$P_{\mathbf{A}}$			1.00%	1.00%
Glycerides	1.00%	1.00%		1.000	0.50%
Glycerin	aprylic/Capr	ic 0.70%		1	10.000
IFEG C	apryric/cap-			0.20%	0.20%
Glycerides	0.20%	0.20%	0.20%		5.5 q.s. pH
DMDM Hydantoin	-V - 5 DH 4	.5 g.s. pH4	q.s. pH	4 q.s. pn	3.5 9.5 2
Citric Acid for	prig.s. p			0.50%	0.50%
adjustment	0.50%	0.50%	0.50%		0.15%
Fragrance	0.15%	0.15%	0.15%	0.15%	
Triclosan			2.00%		
Lactic Acid			0.80%		
sodium hydroxide			4	5.5	4
рн	4.5	4			

- 16 -

Example 2:

The following procedure for antibacterial deposition testing was used to evaluate foam vs. liquid performance with regard 5 to skin deposition.

Procedure for deposition testing

Pre Wash:

- Wet forearms. Rub Dove bar in wet hands for 10 rotations 10 of bar.
 - Wash both forearms for 30 seconds. Rinse for 15 seconds.
 - Wait 30 minutes and take first extraction.

Extraction Procedure: 15

- Place 1 inch glass cup on forearm.
- Dispense 3 ml of Isopropanol into cup.
- Scrub with glass stir rod for 30 seconds.
- Draw off liquid and place in a glass vial.

20

Wash procedure:

For foam: Take 1 pump (Airspray International Co.) of foam product (solution 1 described in table 1). Rub for 30 seconds on forearm. Rinse for 10 seconds. Pat dry.

For liquid: Take 1 mL of neat liquid (not dispensed through Airspray pump). Rub for 30 seconds on other forearm. Rinse 25 for 10 seconds. Pat dry.

Take the second extraction.

PCT/EP01/08576

WO 02/17876

- 17 -

Pre and post extractions are measured for triclosan content.

Results:

Table 2. 5

	Triclosan der	posited, µg/cm²
Subject	Foam	Liquid (Comparative)
#	0.08364	0.05450
2	0.13093	0.07452
3	0.08119	0.06389
4	0.11169	0.21042

Thus, the results demonstrate that 3 out of 4 panelists had significantly more triclosan deposited from the foam than from 10 the liquid cleanser.

Example 3:

Solution 1 (as described in table 1) foamed (through the Airspray pump) and liquid (not dispensed through Airspray 15 pump) was evaluated for waxy makeup removal.

Makeup removal protocol

- 1) Mark off two 3.5x2.5 cm rectangles on the inner side of 20 each forearm.
 - skin color measurements using the Minolta 2) Take Chromameter, 3 readings within each rectangle
- 3) Apply makeup as given below per type (all Revlon Colorstay): 25
 - Mascara spread uniformly using spatula for even coverage allow 10 minutes for drying

PCT/EP01/08576

- 4) Take color measurements on the dried makeup.
- 5) Wash with test product, as follows:
 - Wet arms.
 - Apply 1 ml of liquid or foam to the makeup site.
- Rub product on site for 30 seconds
 - Rinse soap off for 15 seconds
 - 6) Take skin color measurements on cleaned skin
 - 7) Calculate the % makeup removed

10 Table 3

Liquid (Compara Percent removal 68.43	Std. Deviation (n=15)	Foam (Inventive) Percent removal 81.30	Std. Deviation (n=15) 20.00
00.43			<u></u>

The foregoing description and examples illustrate selected embodiments of the present invention. In light thereof variations and modifications will be suggested to one skilled in the art, all of which are within the scope and spirit of this invention.

CLAIMS

5

10

15

20

- A foam producing, cleansing product comprising:
 - (a) a foamable cleansing liquid composition including from about 0.1 to about 12 wt. % of a surfactant amphoteric blend selected from anionic surfactants, mixtures and nonionic surfactants, thereof; the surfactant blend having at least one anionic surfactant and at least one surfactant selected from an amphoteric and nonionic surfactant;

from about 0.01 to 3.0 wt. % of a water soluble cationic polymer;

from about 0.05 to 1.5 wt. % of a hydrophobic anti-bacterial compound;

- a foam dispenser for dispensing a foam from the liquid composition, the dispenser including a (b) reservoir to contain the liquid composition, generating manually actuated mechanism for volume of foam, and a foam dispensing nozzle attached in fluid communication with the manually actuated mechanism; and
 - (c) wherein said liquid composition contains less than about 0.05 wt. % of a water insoluble emollient.
- 2. A foam producing, cleansing product according to claim 1 wherein the foam produced has a foam density of about 25 to 0.20 g/ml when dispensed from the foam dispenser.
- A foam producing, cleansing product according to claim 1 or claim 2 wherein the weight ratio of the anionic 3. 30

- 20 -

surfactant to the sum of the nonionic and amphoteric surfactants is in the range of 0.2 to 1 to 3 to 1.

- 4. A foam producing, cleansing product according to any of
 the preceding claims wherein the total amount of
 surfactants does not exceed about 10.5 wt % of the
 composition.
- 5. A foam producing, cleansing product according to any of the preceding claims wherein the viscosity of the liquid composition is in the range of about 1 to 500 cps at 25° C.
- 6. A foam producing, cleansing product according to any of the preceding claims further comprising from about 0.5 to 10.0 wt. % of a water soluble emollient.
 - 7. A foam producing, cleansing product according to any of the preceding claims wherein the antibacterial agent is selected from triclosan, trichlocarban, and chlorhexidine.
 - A foam producing, cleansing product according to any of the preceding claims wherein the liquid composition has a pH in the range of about 3.5 to 6.5.
 - 9. A foam producing, cleansing product according to any of the preceding claims wherein the liquid composition is clear.

WO 02/17876 PCT/EP01/08576

- 21 -

10. A foam producing, cleansing product according to any of the preceding claims wherein the foam dispenser is selected from a mechanical foam dispenser, and a squeezable foam dispenser.

5

20

- 11. A method of depositing a hydrophobic antibacterial agent onto the skin comprising the steps of:
- dispensing the foam producing, cleansing product of claim 1 onto the skin as a foam; rubbing the foam on the skin; and rinsing the excess foam from the skin with water.
- 12. A method of removing waxy cosmetics from the skin comprising the steps of:
 - dispensing the foam producing, cleansing product of claim 1 onto the skin as a foam; rubbing the product on the skin coated with the waxy cosmetics; and rinsing the thus loosened cosmetics and excess product from the skin with water.
- 13. A method according to claim 11 or claim 12 wherein the foam has a foam density of about 0.05 to 0.20 g/ml when dispensed.

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 7 March 2002 (07.03.2002)

PCT

(10) International Publication Number WO 02/017876 A3

(51) International Patent Classification7: 7/48, 7/00, C11D 3/00

A61K 7/50,

- (21) International Application Number: PCT/EP01/08576
- (22) International Filing Date: 24 July 2001 (24.07.2001)
- (25) Filing Language:

English

(26) Publication Language:

English

- (30) Priority Data: 60/229,202
- 31 August 2000 (31.08.2000) U
- (71) Applicant (for AE, AG, AU, BB, BZ, CA, CY, GB, GD, GH, GM, IE, IL, KE, LC, LK, LS, MN, MW, NZ, SD, SG, SL, SZ, TT, TZ, UG, ZA, ZW only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4P 4BQ (GB).
- (71) Applicant (for all designated States except AE, AG, AŪ, BB, BZ, CA, CY, GB, GD, GH, GM, IE, IL, KE, LC, LK, LS, MN, MW, NZ, SD, SG, SL, SZ, TT, TZ, UG, ZA, ZW): UNILEVER NV [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL).
- (71) Applicant (for IN only): HINDUSTAN LEVER LIM-ITED [IN/IN]; Hindustan Lever House, 165/166 Backbay Reclamation, Mumbai 400 020, Maharashtra (IN).
- (72) Inventors: HAYWARD, Christine; Unilever Home & Personal Care USA, 40 Merritt Boulevard, Trumbull, CT 06611 (US). PAREDES, Rosa, Mercedes; Unilever Home

& Personal Care USA, 40 Merritt Boulevard, Trumbull, CT 06611 (US).

- (74) Agent: MULDER, Cornelis, Willem, Reinier; Unilever PLC, Patent Department, Colworth House, Shambrook, Bedford, Bedfordshire MK44 1LQ (GB).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- (88) Date of publication of the international search report: 22 August 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

2/017876 A3

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61K7/50 A61K7/48 A61K7/00

C11D3/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) A61K C11D IPC 7

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

Category *	ENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X V	WO 91 17237 A (PROCTER & GAMBLE) 14 November 1991 (1991-11-14) page 3 -page 5, paragraph 1 page 10, last paragraph page 12, paragraph 3 page 13, line 29 - line 32 claims 1,3,5,6,10-19 page 12, paragraph 2	1,2,5-13
Y	page 13, last paragraph WO 99 39689 A (UNILEVER PLC; LEVER HINDUSTAN LTD (IN); UNILEVER NV (NL)) 12 August 1999 (1999-08-12) page 21, line 1 - line 4	1-13
	_/	

l i	
X Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but tater than the priority date claimed	 tater document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the International search report
27 June 2002	03/07/2002
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentham 2 NL - 2280 HV Rijswijk	Authorized officer

Int Blonal Application No
PCT/EP 01/08576

	INTERNATIONAL SEARCH REPORT	PCT/EP 01/085	76
(Continu	stion) DOCUMENTS CONSIDERED TO BE RELEVANT	Polove	nt to claim No.
ategory *	Citation of document, with indication, where appropriate, of the relevant passages	Heieva	III ID CIGIII IVA
X	WO 99 15133 A (PROCTER & GAMBLE) 1 April 1999 (1999-04-01) page 3 page 6, line 26 - line 36 page 14, line 24 - line 25 page 15, line 38 -page 16, line 9 examples claims 1,8-14,16,17		1,4,7,8, 10
A	US 3 962 150 A (VIOLA LEONARD J) 8 June 1976 (1976-06-08) column 2, line 21 - line 38 column 4, line 46 - line 52		1-13
		·	
	·		

PCT/EP 01/08576

INTERNATIONAL SEARCH REPORT	
IN I Entra live and a second	uetion of item 1 of first sheet)
contain claims were found unsearchable (Contain	Uauon or nem
Box I Observations where certain claims were found unsearchable (Continue of the Continue of t	r Article 17(2)(a) for the following reasons:
Claims Nos.: because they relate to subject matter not required to be searched by this Authority	
2. X Claims Nos.: 1-13 Claims Nos.: because they relate to parts of the international Application that do not comply will because they relate to parts of the international Search can be carried out, specifically an extent that no meaningful international Search Can be carried out, specifically see FURTHER INFORMATION sheet PCT/ISA/210	ith the prescribed requirements to such :
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the	second and third sentences of Rule 6.4(a).
Continuation 0	f item 2 of first sheet)
Box II Observations where unity of invention is lacking (Continuation of	
Box II Observations where drawy	vication, as follows:
Box II Observations was a support of this international apportance in the international apport of the international searching Authority found multiple inventions in this international apport	Alexandria are a
This International Searching Authority loans made	1
	· ·
l	and Bonot covers all
timely noid by the applicant, this	International Sealch report
As all required additional search fees were timely paid by the applicant, this	
1 \ COCCARDIE GOILLE	
2. As all searchable daims could be searched without effort justifying an additional fee.	Authority did not invite payment
an additional effort justifying additional effort justifying an additional effort justifying a	ional ree, this Address of the
2. As all searchable claims could be searched without the	
of any additional fee.	
As only some of the required additional search fees were timely paid by the covers only those claims for which fees were paid, specifically claims Nos.	e applicant, this international Search Report .:
4. No required additional search fees were timely paid by the applicant. Con restricted to the invention first mentioned in the claims; it is covered by claims.	neequently, this International Search Report is
Remark on Protest No protest accomp	ch fees were accompanied by the applicant's protest. sanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 1-13

Present claims 1-13 relate to an extremely large number of possible products. Support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the products claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely those parts relating to the products free of water insoluble emollient (0.00 wt %).

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

information on patent family members

onal Application No PCT/EP 01/08576

	informatio	n on patent family membe		l l	PUITE	
Patent document		Publication date	F	Patent family member(s)		Publication date
cited in search report			AU 75600		1 A	27-11-1991 28-10-1991
WO 9117237	A	14-11-1991	CA CN EP IE MX NZ PT WO	207844 105510 05264 9110 1717 2375	11 A1 09 A 73 A1 00 A1 03 B 84 A	28-10-1991 09-10-1991 10-02-1993 09-10-1991 10-11-1993 27-09-1994 31-12-1991 14-11-1991
WO 9939689	A	12-08-1999	US AU CA CN WO EP JP ZA	26196 2316 1289 9939 1052 2002502	765 A1 247 T 689 A2 971 A2	29-02-2000 23-08-1999 12-08-1999 28-03-2001 12-08-1999 22-11-2000 29-01-2002 25-07-2000
WO 9915133	A	01-04-1999	WO JP	991 200151	5133 A1 7605 T	01-04-1999 09-10-2001
US 3962150	Α	08-06-1976	NON	<u> </u>		

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS
IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.